

# T2S-R3W.2<sup>nd</sup>Mer.

391	391	391	391	390	390	390	390				
6	386	5	387	4	388	3	390	2	389	1	389
386		387		388		390		390		389	
7	386	8	385	9	388	10	388	11	389	12	369
384		385		385		383-384		385-384		383	
18	384	17	184	16	383	15	382	14	382	13	369
379		380		380		382		382		381	
19	379	20	380	21	380	22	381	23	381	24	369
379		379		378		378		378		378	
30	376	29	376	28	377	27	377	26	377	25	369
375		375		375		375		374		374	
31	372	32	373	33	373	34	373	35	374	36	370
371		371		371-372		370-372		370-372		370-372	

# T3S-R3W.2<sup>nd</sup>Mer.

414	414	414	415	415							
6	414	5	413	4	412	3	415	2	412	1	393
413	413-415	413-414		414		412		411			
7	408	8	409	9	412	10	410	11	411	12	393
408	408-409	409	409-411	410-411		410					
18	408	17	407	16	406	15	409	14	405	13	393
403	407	407	406- <del>405</del>	<del>410-411</del> 405		405					
19	403	20	402	21	406	22	404	23	405	24	393
397	403	403-404	404	404		404		400			
30	397	29	403	28	401	27	400	26	400	25	394
397	398-402	401-403	398-401	399-400		397					
31	396	32	401	33	398	34	398	35	399	36	394
396	395	395	395	395		394		394			

East Boundary

South Range line E. Boundary of Sec. 12. T. 2. S. R. No 3. N.  
 41. 00 Put Quarter Sec. post where a Birch 16 in? diam? bears  
 S. 53. W. 13. links A Sugar 12 in? diam? bears S. 76. E. 15  
 links - Midling Soil of hill land.  
 50. 00 Set Post Corner of Sec. 12. & 13. T. 2. S. R. No 3. N.  
 where a W. Oak 12 in? diam? bears S. 74. E. 20. links.  
 S. 12 in? diam? bears S. 25. W. 17. links.  
 Poor steep points of hills, Birch timber.

South Range line of E. Boundary of Sec. 12. T. 2. S. R. No 3. N.  
 40. 00 Put Quarter Sec. post where a Gum 16 in? diam? bears  
 N. 13. E. 22. links. A Birch 18 in? diam? bears S. 22. W. 16. links  
 54. 00 A brush 46 links wide, course S. W.  
 80. 00 Set Post Corner of Sec. 12. & 13. T. 2. S. R. No 3. N. where  
 a W. Oak 12 in? diam? bears S. 29. E. 22 links. S. 18 in? diam?  
 bears S. 8. W. 21. links. Good hill land, Sugar, Birch, timber.

South Range line E. Boundary of Sec. 13. T. 2. S. R. No 3. N.  
 40. 00 Set Quarter Sec. post where a W. Oak, 18 in? diam? bears N. 38.  
 W. 16. links. S. 18 in? diam? bears S. 6. links. dist?  
 80. 00 Set Post Corner of Sec. 13. & 24. T. 2. S. R. No 3. N.  
 where a W. Oak 12 in? diam? bears S. 7. E. 23. links. S. 18 in?  
 diam? bears S. 9. links This mile hilly land thin Soil.  
 much Oak & Hickory brush.

South Range line of Sec. 24. T. 2. S. R. No 3. N.  
 40. 00 Set Quarter Sec. post. where a W. Oak 12 in? diam? bears N.  
 9. E. 24. links S. 16 in? diam? bears South 12. links.  
 50. 00 Set Post Corner of Sec. 24. & 25. T. 2. S. R. No 3. N.  
 where a Gum 16 in? diam? bears N. 36. E. 26. links.  
 A gum 6 in? diam? bears S. 12. E. 18. links.  
 Land hilly midling Soil. Oak timber.

South Range line E. Boundary of Sec. 25. T. 2. S. R. No 3. N.  
 40. 00 Put Quarter Sec. post where a poplar 26 in? diam? bears S.

T. & L. J. R. No. 1. W. 2<sup>nd</sup> Mer.

81. 01	<p>17. E. 29. links. A Gum 14 in? diam? bears N. 3. links.  Put Post corner of Sec? 25 &amp; 36. T. 2. S. R. 3. W.  where a W. Oak 12 in? diam? bears S. 84. E. 14. links &amp; a  Sugar 6. in? diam? bears N. 52. W. 44. links.  Land hilly. Timber. Oak, Hickory, &amp; Dogwood.</p>
41. 01	<p>South Range line East Boundary of Sec. 36. T. 2. S. R. 3. W.  Put Quarter Sec. post where a Sugar tree 6 in? diam?  bears E. 51. W. 13 links. &amp; Poplar 40 in? diam? N. 18. E. 13.  44. 50 A Creek 40 links wide, course S. W.  49. 50 A Creek 60 links wide, course S. W.  46. 00 Part of said Creek, course W.  54. 00 Rich bottom land. Timber, Birch &amp; Maple. &amp;c  68. 50 A Drain 6 links wide, course W.  80. 01 Put Post corner of Towns &amp; 2. &amp; 3. Ranges 2. &amp; 3.  where a Sugar tree. 12 in? diam? bears T. 49. W. 5. links.  &amp; 14 in? diam? bears E. 18. links. Good hill land.  Timber, Birch. Sugar tree, Oak, &amp;c.</p>
West 16. 00	<p>South Boundary.  Town line South Boundary of Sec. 36. T. 2. S. R. 3. W.  Down gradual descent of good soil to a Drain 6 links. wide,  course N. W.  34. 00 A Creek 75 links wide, course S. 20. W.  38. 00 A Creek 50 links wide, course S.  40. 00 Put Quarter Sec. post where a Birch 24 in? diam? bears  N. 16. E. 36. links. A Sugar 16 in? diam? bears S. 24. W. 27. links.  42. 00 Good Birch &amp; Sugar tree Bottom.  80. 00 Put Temporary post. Good soil of hill land.  Timber, Oak. Birch &amp; Sugar tree. &amp;c.</p>
West 80. 01	<p>Town line South Boundary of Sec 35. T. 2. S. R. 3. W.  Put Random post. Good soil of W. Oak hill land Oct. 26. 1804.</p>
West 80. 01	<p>Town line S. Boundary of Sec 34 T. 2. S. R. 3. W.  Put Temporary post. This mile level hill land. Soil of</p>

T. & A. 2. G. R. No 3. W. 2nd Mer.

a good quality. Timber, Oak Sugar tree, Poplar &c.

West Town line G. Boundary of Sec. 33. T. 2. G. R. No 3. W.  
 12 10 A Run 7 links wide Course G.  
 51. 11 Put Temporary post. Land hilly. thin soil. Timber  
 Oak, Hickory & Logwood.

West Town line South Boundary of Sec. 32. T. 2. G. R. No 3. W.  
 66. 11 A Brook 10 links wide, Course N. W.  
 51. 11 Set Temporary post. This mile like land-midling soil  
 Timber, Oak, & Logwood.

West Town line G. Boundary of Sec. 31. T. 2. G. R. No 3. W.  
 52. 00 A Brook 10 links wide, Course N. W.  
 65 11 A Brook 10 links wide, Course N.  
 77. 42 Intersected N. & G. line 42 links South of Post Corner to  
 Towns 2 & 3. Ranges 3 & 4. Good hill land Timber as  
 before. Corrected the line E. & set Posts.

Set half Sec. post in South Boundary of Sec. 31. T. 2.  
 G. R. No 3. W. where a W. Oak 20 in? diam? bears S. 15. W.  
 18. links. A Logwood 10 in? diam? bears N. 57. W. 26. links

Set Post Corner of Sec? 31. & 32. T. 2. G. R. No 3. W.  
 where a W. Oak 12 in? diam? bears N. 65. E. 25 links.  
 S. 13 in? diam? bears N. 51. W. 25 links.

Set half Sec. post in South Boundary of Sec 32. T. 2. G.  
 R. No 3. W. where a Hickory 12 in? diam? bears N. 42. E. 9.  
 links. Hickory 10 in? diam? bears S. 46. W. 28. links.

Set Post Corner of Sec? 32 & 33. T. 2. G. R. No 3. W.  
 where a B. Oak 24 in? diam? bears S. 41. E. 17. links  
 Hickory 14 in? diam? bears N. 18. W. 6. links.

Set half Sec post on G. Boundary of Sec. 33. T. 2. G. R. No 3. W.



S. 1<sup>st</sup> 2 T. R. 1<sup>st</sup> 3 W. 2<sup>nd</sup> Mer.

	where a Poplar 25 in? diam? bears S. 67. E. 18. links A Gum 12 in? diam? bears S. 75. W. 35. links.
East	Set post Corner of Twp? 33. & 34. T. 2. S. R. 3. W. where a W. Oak 18 in? diam? bears S. 67. W. 3. links. A Poplar 16 in? diam? bears N 89. E. 22. links.
East	Set half Sec. post in T. Boundary of Twp. 34 T. 2. S. R. 3. W. where a Poplar 21 in? diam? bears S. 12 links A Gum 7 in? diam? bears S. 52. E. 4. links.
East	Set post corner of Twp? 34. & 35. T. 2. S. R. 3. West. where a W. Oak 10 in? diam? bears S. 23. E. 30. links A Gum 10 in? diam? bears S. 8. E. 36. links. disc.
East	Set half Sec. post in T. Boundary of Twp. 35 T. 2. S. R. 3. W. where a Gum 14 in? diam? bears S. 78. E. 9. links A 16 in? diam? bears S. 58. W. 29. links
East	Set post corner of Twp? 35 & 36. T. 2. S. R. 3. W. where a Birch 17 in? diam? bears S. 66 E. 15 links A 12 in? diam? bears S. 74. W. 35. links.

For the N.W. boundaries - See the S. boundary  
of the Township N. and the E. boundary of the  
Township W.

### Subdivisions.

North	Between Twp? 31. & 32. T. 2. S. R. 3. W.
13. 37	A Poplar 26 in? diam?
24. 75	A W. Oak 17 in? diam?
35. 50	A Brook 20 links wide, bears W.

T. & L. S. R. A. 3 W. 2<sup>nd</sup> Mer.

40. 60 Set Quarter Sec. post. where a W. Oak 12 in? diam? bears  
 N. 16. E. 29. links. S. 14 in? diam? bears S. 52. W. 26. links.
56. 80 A W. Oak 20 in? diam?
76. 50 Middling Soil of hill land. Oak timber.
80. 60 Set post corner of Sec? 29, 30, 31, 32 T. 2 S. R. 3. W.  
 where an Elm 14 in? diam? bears S. 27. E. 29. links. &  
 Sugar tree 15 in? diam? bears N. 41. W. 54. links. dist.  
 First rate bottom. Timber, Sugar tree, Elm, &c.

- North Between Sec? 32. & 33. T. 2. S. R. A. 3. W.
40. 60 Set Quarter Sec. post where a Hickory 10 in? diam? bears  
 N. 2. E. 25. links. R. Oak 6 in? diam? bears W. 19. links.
80. 60 Set post Corner of Sec? 28, 29, 32, 33. T. 2. S. R. 3. W.  
 where a Hickory 17. in? diam? bears N. 71. W. 10. links.  
 A Dogwood 7. in? diam? bears N. 52. E. 30. links.  
 Land hilly middling Soil. Timber, Oak, & Dogwood.

- North Between Sec? 33. & 34 T. 2. S. R. A. 3. West.
7. 60 A Brook 4 links wide, Course S. W.
22. 9 A B. Oak 2 in? diam?
30. 74 A Gum 12 in? diam?
40. 60 Set Quarter Sec post where a Hickory 14 in? diam?  
 bears S. 12. E. 14 links S. 14, in? diam? bears N. 20. W. 27.
80. 60 Set Post corner of Sec? 27, 28, 33, 34. T. 2. S. R. 3. W.  
 where a W. Oak 12 in? diam? bears S. 13. E. 27. links.  
 A Poplar 17 in? diam? bears N. 9. E. 30, links. Middling  
 soil of hill land. Timber, Oak, Gum, & Dogwood

- North Between Sec? 34. & 35. T. 2. S. R. 1. W.
14. 94 A W. Oak 14 in? diam?
40. 60 Set Quarter Sec. post. where a W. Oak 16 in? diam? bears  
 S. 16. E. 13. links S. 17, in? diam? bears N. 30. W. 46. links
49. 60 A Drain 6 links wide, Course E.
57. 76 A W. Oak 17 in? diam?
- 75 60 A Brook 6 links wide, Course S. E.
- 75 48 A Gum 14 in? diam?

T. A. L. J. R. A. 3. W. 2<sup>nd</sup>. Mer.

80. 00	Get Post corner of Sec. 26. 27. 34. 35. T. 2. R. 3. W. where a W. Oak 14 in? diam? bears G. 39. N. 19. links & Logwood 7 in? diam? bears E. 8. E. 20. links. Land hilly - thin soil Timber, Oak, Gum &c.
North	Between Sec. 35 & 36. T. 2. R. 3. W.
11. 86	A B. Oak 12 in? diam?
29. 30	A Brook 10 links wide, course E.
40. 00	Get Quarter Sec. post where a Sugar. 10 in? diam? bears G. 61. E. 28. links. An Elm 10 in? diam? bears E. 88. N. 6. links. Good soil of hill land. Birch & Sugar.
44. 50	A Brook 40 links wide, course G. E.
49. 68	A Poplar 30 in? diam?
52. 00	Good bottom land.
80. 00	Get post corner of Sec. 25. & 26. 35. 36. T. 2. R. 3. W. where a W. Oak 14 in? diam? bears G. 46. E. 30. links. Do 16 in? diam? bears N. 46. W. 34 links. Strip. Brushy hill land. Oct. 27 <sup>th</sup> 18. 64.
East	A Random line between Sec. 25 & 36. T. 2. R. 3. W.
2. 50	A Run 6 links wide, course S.
30. 50	Rising to the top of Girep ledge of Rocks
80. 80	Intersected Range line 30. links S. of Post Corner of Sec. 25 & 36. T. 2. R. 3. W. Very steep points of hills. Timber. Oak, Birch, & Logwood.
	Corrected the line between 25. & 36. T. 2. R. 3. W. Get half Sec. post where a W. Oak 12 in? diam? bears N. 40. E. 4. links - Do 16 in? diam? bears G. 66. W. 39 links
West	A Random line between Sec. 26 & 35. T. 2. R. 3. W.
19. 50	A Brook 16 links wide, course G. 20. E. poor Girep Oak hill land.
81. 00	Intersected N. & S. line 17. links S. of Post. Land level - Good Soil - Oak timber.

Corrected the line between Sec. 16. & 35. T. 2. S. R. 3. W.  
Put half Sec. post where a Poplar 18 in. diam. bears  
N. 10. links. A Gum 10 in. diam. bears S. 23. E. 25. links

East A Random line between Sec. 27. & 34. T. 2. S. R. 3. W.  
21. 00 A Run 6 links wide, Course S. 20. W.  
70. 00 A Run 8 links wide, Course S. E.  
81. 04 Intersected N. & S. line 10. links S. of Post. This mile  
middle Soil. of hill land. Timber, Oak, Hickory, &c.

Corrected the above line at 50th half Sec. post. where a  
Gum 22 in. diam. bears S. 53. E. 3. links. Hickory  
10 in. diam. bears N. 53. E. 30. links.

West A Random line between Sec. 28. & 33. T. 2. S. R. 3. W.  
38. 50 A Brook 16 links wide, Course N. 70. W.  
80. 84 Intersected N. & S. line 7 links N. of Post. Land  
hilly middle Soil. Timber - Oak, & Dogwood.

Corrected the line between 28. & 33. T. 2. S. R. 3. W.  
Put half Sec. post where a Hickory 10 in. diam. bears  
S. 55. W. 26. links. A Sassafras 6 in. diam. N. 30. W. 17.

East A Random line between Sec. 29. & 32. T. 2. S. R. 3. W.  
1. 00 A Brook 40 links wide, Course N. W.  
15. 00 A Brook 40 links wide, Course S. E.  
23. 00 Rich Bottom land timber, Sugar tree, &c.  
17. 90 Intersected N. & S. line at Post. Good hill land. Timber  
Oak, Poplar, &c.

Corrected the line between Sec. 29. & 32. T. 2. S. R. 3. W.  
Put half Sec. post. where a Gum 10 in. diam.  
bears N. 25. W. 17. links & 9. in. diam. bears N. 80. E. 5.

West Between Sec. 30. & 31. T. 2. S. R. 3. W.  
5. 50 A Brook 40 links wide Course S. 70. W.



T. No 2. S. No. 3. W. 2<sup>nd</sup>. Nov.

23.50	At Brook 16 links wide, course S.
33.60	Bottom land. good soil.
40.60	Get half Sec post where a W. Oak 14 in? diam? bears S. 63. E. 22. links. S. 18 in? diam? bears S. 14. E. 44.
77.52	Intersected Range line 2. 15 links S. of Post in the 4 <sup>th</sup> Range. Get post corner of Sec? 36. & 31. T. 2. T. No 3. W. where a W. Oak 13 in? diam? bears N. 61. E. 15 links. At Hickory 3 in? diam? bears N. 22. W. 5. links. Dry Oak hill land - thin soil.
North	Between Sec? 29. & 36. T. 2 S. No 3. W.
2. 60	A Oak 40 links wide, course W.
5. 60	Rich Bottom land
18.80	A W. Oak 14 in? diam?
26. 79.	A Sugar tree 12 in? diam?
40. 60	Get Quarter Sec. post where a W. Oak 16 in? diam? bears N. 48. E. 17. links - S. 10 in? diam? bears S. 11. W. 28
56. 28	A W. Oak 26 in? diam?
79. 60	A W. Oak 14 in? diam?
81. 60	Get Post corner of Sec? 19. 26. 29. 36. where a W. Oak 16 in? diam? bears S. 81. W. 41. links S. 11. in? diam? bears N. 58. E. 33 links. Poor hill land timber Oak
North	Between Sec? 28. & 29. T. 2 S. No 3. W.
16. 60	At Drain 20 links wide, course N.
25. 60	At Sugar tree 12 in? diam?
40. 60	Get Quarter Sec. post where a W. Oak 12 in? diam? bears N. 48. W. 43. links S. 14 in? diam? bears N. 81. E. 26. links.
42. 31	At W. Oak 17 in? diam?
55. 41	At Sugar tree 15 in? diam?
80. 60	Get Post corner of Sec? 20. 21. 28. & 29 T. 2. S. No 3. W. where a Gum 12 in? diam? bears S. 23. W. 40. links. At W. Oak 18 in? diam? bears N. 23. E. 14 links. Moderate ridges. Good soil. Timber. Oak, Poplar, Sugar tree, &c. Oct 28 <sup>th</sup> 18.64.

T. N. 2. S. R. N. 3 W. 2<sup>nd</sup> Mer.

North Between Sec 27. & 28. T. 2 S. R. N. 3. W.  
 4. 50 A Run 4 links wide, course S. W.  
 14. 21 A Gum 16 in? diam?  
 20. 99 A Gum 10 in? diam?  
 40. 00 Set Quarter Sec post where a W. Oak 16 in? diam?  
 bears N. 32. W. 27. links. A Poplar 12 in? diam?  
 bears S. 3. E. 39. links.  
 62. 69 A W. Oak 14 in? diam?  
 68. 85 A Gum 12 in? diam?  
 72. 00 A Brook 20 links wide, course E. W.  
 80. 00 Set Post Corner of Sec. 21. 22. 27. 28. where a W. Oak  
 13 in? diam? bears S. 54. E. 24. links. W. Oak 12 in?  
 diam? bears E. 55. W. 16. links. Good farming land.  
 Large Oak & Poplar timber.

North Between Sec. 26. & 27. T. 2. S. R. N. 3. W.  
 16. 23 A W. Oak 10 in? diam?  
 26. 56 A Poplar 10 in? diam?  
 40. 00 Set Qtr Sec. post where a W. Oak 18 in? diam? bears N.  
 20. E. 28 links. S. 18 in? diam? bears N. 62. W. 30. links  
 80. 00 Set Post Corner of Sec. 22. 23. 26. 27. T. 2. S. R. N. 3. W.  
 where a Logwood 5 in? diam? bears S. 80. W. 8. links.  
 S. 7 in? diam? bears N. 56. E. 13. links.  
 Good hill land for farming. Timber. Oak. Poplar &c.

North Between Sec. 25 & 26. T. 2. S. R. N. 3. W.  
 3. 50 A Spring Run 3. links wide, course S. 20. E.  
 17. 47 A W. Oak 20 in? diam?  
 40. 00 Set Quarter Sec post where a W. Oak 9 in? diam? bears  
 S. 64. E. 19. links. A Hickory 14 in? diam? N. 67. W. 16. links  
 52. 78 A W. Oak 20 in? diam?  
 80. 00 Set Post Corner of Sec. 23. 24. 25. 26. T. 2. S. R. N. 3. W.  
 where a Gum 9 in? diam? bears N. 66. E. 26. links. A Beech  
 22 in? diam? bears N. 81. W. 58. links. High hill land  
 thin soil. Timber, Oak, Hickory, & Logwood, &c.

T. & L. T. R. N. 3. W. 2<sup>nd</sup> Mer.

East	A Random line between Sec. 24. & 25. T. 2. S. R. 3. W.
39. 60	A Run 7 links wide, course N.
86. 81	Intersected Range line. 20 links N. of Post Corner to Sec. 24. & 25. Deep broken hills. Poor soil. Timber, Oak, Hickory, and Dogwood.
	Corrected the line Between 24. & 25. T. 2. S. R. 3. W. Put half Sec. post where a Gum 16 in. diam. bears S. 71. W. 15. links. A Birch 16 in. diam. S. 81. E. 13. lks.
East	A Random line between 23. & 26. T. 2. S. R. 3. W.
81. 10	Intersected N. & S. line 21. links N. of Post. Rough hill land - Timber, Oak, Hickory &c.
	Corrected the line between 23. & 26. T. 2. S. R. 3. W. Put half Sec. post where a W. Oak 16 in. diam. bears S. 52. E. 43. lks. A 17 in. diam. bears S. 80. W. 29. lks.
East	A Random line between Sec. 22. & 27. T. 2. S. R. 3. W.
24. 15	A Brook 7 links wide, course S. W.
68. 75	A Brook 4 links wide, course N.
81. 46	Hit Post Corner to Sec. 22. 23. 26. & 27. T. 2. S. R. 3. W. Land midling level - good Soil. Timber, Oak, Dogwood Much brush & many briars.
	Corrected the above line at set half Sec. post. where a W. Oak 16 in. diam. bears N. 24. W. 11. links. S. 11 in. diam. bears S. 38. W. 25. links.
West	A Random line between Sec. 21. & 28. T. 2. S. R. 3. W.
9. 50	A Brook 30 links wide, course N. W.
86. 66	Intersected N. & S. line. 24 links N. of Post. Good W. Oak land - tolerably level.
	Corrected the line between Sec. 21. & 28. T. 2. S. R. 3. W. Put half Sec. post where a B. Oak 14 in. diam.



bears N. 78. E. 14 links. L. 30 in. diam. bears S. 13. W. 26 links.

West A Random line between 20. & 29. T. 2. S. R. N. 3. W.  
79. 90 Intersected A. & S. line 16 links N. of Post.  
Level good soil of W. Oak land.

Corrected the line between 20. & 29. T. 2. S. R. N. 3. W.  
Put half Sec. post where a Dogwood 5 in. diam. bears  
S. 75. W. 19 links. L. 4 in. diam. bears S. 6. 5. E. 3. links  
Oct 29<sup>th</sup> 18. 64.

West Between Sec. 19. & 30. T. 1. 2. S. R. N. 3. W. 2<sup>nd</sup> Mer.  
40. 00 Put Quarter Sec. post where a W. Oak 10 in. diam. bears  
S. 16. W. 7 links. L. 10 in. diam. bears N. 10. E. 15 links  
77. 80 Intersected Range line 2. 80 links S. of Post corner of Sec.  
24. & 25. T. 2. S. R. N. 3. W. Get a post corner of Sec.  
19. & 30. T. 2. R. 3. where a Hickory 20 in. diam.  
bears S. 44. W. 17 links. A Gum 12 in. diam. bears N. 56.  
E. 21 links. Hilly brierly land. Oak timber.

North Between Sec. 19. & 20. T. 2. S. R. N. 3. W.  
28. 23 A W. Oak 16 in. diam.  
39. 50 A Brook 10 links wide, course N. 70. W.  
40. 00 Set Quarter Sec. Post where a Maple 16 in. diam. bears  
S. 19. E. 21 links. A Gum 9 in. diam. bears E. 5 links  
55. 24 A W. Oak 16 in. diam.  
67. 16 A W. Oak 18 in. diam.  
86. 00 Get Post corner of Sec. 17. 18. 19. 21. T. 2. S. R. 3. W.  
where a Gum 10 in. diam. bears S. 82. W. 24 links. L.  
10 in. diam. bears S. 82. E. 12 links. Level upland,  
mildling soil. Timber, Oak, Hickory & Dogwood.

West Between Sec. 18. & 19. T. 2. S. R. N. 3. W.  
40. 00 Put Quarter Sec. post where a W. Oak 15 in. diam.  
bears N. 88. W. 34 links. A B. Oak 12 in. N. 60. E. 41 links  
77. 86 Intersected Range line 2. 37 links. S. of post in the 4<sup>th</sup> Range N. 12



T. N. 2. S. R. N. 3. W. 2<sup>nd</sup> Mer.

	Set Post Corner of Sec? 18. 19. T. 2 S. R. 3. W. where a W. Oak 36 in? diam? bears S. 46. E. 18. links A. Sugar tree 10 in? diam? bears S. 85. W. 17. links Rough brushy hill land. Timber, Oak, Hickory &c.
North	Between Sec? 20. & 21. T. 2 S. R. N. 3. W.
40. 00	Put off Sec post where a Dogwood 8 in? diam? bears S. 47. E. 27. links. A Hickory 26 in? diam? bears N. 76. W. 26. links
46. 64	A W. Oak 17 in? diam?
51. 00	Set post Corner of Sec? No 17. 20. 21. T. 2 S. R. N. 3. W. where a W. Oak 15 in? diam? bears N. 73. E. 19 links A Hickory 14 in? diam? bears N. 63. W. 26. links. Land hilly. middling soil. timber Oak, Gum & Dogwood.
North	Between Sec? 21. & 22. T. 2 S. R. N. 3. W.
3. 37	A W. Oak. 18 in? diam?
34. 09	A W. Oak 18 in? diam?
40. 00	Put Quarter Sec. post where a W. Oak 12 in? diam? bears S. 24. W. 15. links. D. 18 in? diam? A. 1. E. 18 links
46. 64	A W. Oak 13 in? diam?
78. 50	A Creek 25 links wide, Course N. W.
80. 00	Put Post corner of Sec? 15 16. 21. 22. T. 2. S. R. 3. W. where a Gum 18 in? diam? bears N. 67. E. 45 links A Sugar tree 16 in? diam? bears N. 60. W. 36 links Level hill land. good soil Timber - Oak, Gum & Dogwood.
West	Between Sec? 16. & 21. T. 2. S. R. N. 3. W.
4. 50	A Creek 25 links wide, Course N. 60. W.
27. 50	A Creek 40 links wide, Course N.
80. 00	Intersected N. & S. line 10. links N. of Post. Middling Soil of hill land. - Timber - Oak, Hickory & Dogwood.
West	Between Sec? 17. & 20 T. 2 S. R. N. 3. W.
79 80	Intersected N. & S. line at Post. Level upland. of good quality Timber, Oak, Hickory and Dogwood.

Corrected the line between Sec. 17. & 20. T. 2 S. R. 3. W.  
where a Hickory 26 in. diam. bears N. 42. W. 5 links  
A Gum. 17. in. diam. bears G. 65. E. 9. links.

Corrected the line between Sec. 16. & 21. T. 2 S. R. 3. W.  
Put half Sec post where a Sugar 14 in. diam. bears  
G. 61 E. 35. d. 13 in. diam. bears N. 37. W. 31. links.

North Between Sec. 22. & 23. T. 2 S. R. No 3. W.  
5. 43 A Poplar 16 in. diam.  
34. 52 A Gum 18 in. diam.  
40. 60 Set Quarter Sec post where a Gum 9 in. diam. bears  
G. 1. W. 39. links. D. 10 in. diam. bears N. 36. E. 1.5 links  
73. 23 A W. Oak 17 in. diam.  
80. 60 Set post Corner of Sec. 14. 15. 22. & 23. T. 2 S. R. 3. W.  
Where a W. Oak 36 in. diam. bears N. 62. E. 40. links.  
A Dogwood 4 in. diam. bears G. 15. W. 11. links. Lancel  
level. good soil. Timber, Oak, Hickory, & Dogwood.

North Between Sec. 23. & 24. T. 2 S. R. 3. W.  
8. 80 A Elm 17 in. diam.  
15 60 A Brook 18 links wide, Course N. 20. E.  
25 60 A Brook 25 links wide, Course N. 10. W.  
40 60 Put 1/2 Sec. post where a W. Oak 17 in. diam. bears G.  
51. W. 35. links, D. 8 in. diam. bears N. 31. E. 2. links.  
55. 49 A Gum 12 in. diam.  
63. 60 A Brook 25 links wide, Course N. E.  
80. 60 Set Post Corner of Sec. 13. 14. 23. 24. T. 2 S. R. 3. W.  
where a W. Oak 14 in. diam. bears N. 87. W. 6. links  
A Gum 12 in. diam. bears N. 58. W. 19. links.  
This mile followed down S. Brook - Rough hills on each  
side. Timber, Oak, & Birch - Oct. 30. 1804.

East A Random line between Sec. 13. & 24. T. 2 S. R. 3. W.  
12. 60 A Brook 30 links wide, Course N. 18. E.  
80. 74 Intersected Range line 21 links S. of Post. Corner of Sec

T. 2. S. R. N. 3. W. 2<sup>nd</sup>. Mer.

	13. 4. 22. Land very hilly Similar, Oak Logwood, Asprent
	Connected the line between 13. 4. 24. T. 2. S. R. 3. W. Put half Sec. post where a Poplar 28. in? diam? bears N. 74. E. 24. links at W. Oak 16 in? diam? bears N. 85. E. 14. links.
East	Between Sec? 15. 4. 22. T. 2. S. R. N. 3. W.
41. 61	Good Sugar land. hill. Spice brush under.
86. 89	Intersected N. & S. line 12. links N. of Post. Corner of Sec? 14. 15. 22. 23. Good soil of W. Oak. hill land.
East	A Random line between Sec? 14. 8. 23. T. 2. S. R. 3. W.
21. 56	A Spring, Course S.
75. 76	A Spring Run, Course S. E.
86. 90	Intersected N. & S. line 26 links N. of Post Soil & timber as above.
	Connected the line between 14. 4. 23. T. 2. S. R. 3. W. Put half Sec. post where a W. Oak. 14 in? diam? bears S. 34. E. 24. links. A Logwood 6 in? diam? N. 14. W. 13. links.
	Connected the line between. Sec? 15. 4. 22. T. 2. S. R. 3. W. Put half Sec. post where a Poplar 10 in? diam? bears S. 33. E. 19. links at W. Oak 18 in? diam? bears N. 75. W. 22. links.
North	Between Sec? 13. 4. 14. T. 2. S. R. N. 3. W.
3. 56	A Jack Oak 14 in? diam?
18. 74	A Poplar 22 in? diam?
26. 60	A Spring, Course. E.
41. 60	Set Op. Sec post. where a W. Oak 14 in? diam? bears S. 29. W. 16. links. A 20 in? diam? bears N. 43. E. 22. links.
45. 66	A Brook 18 links wide, Course N. E.
51. 41	A W. Oak 18 in? diam?
86. 66	Put Post corner of Sec? 11. 12. 13. 14. T. 2. S. R. 3. W. where a W. Oak 12 in? diam? bears N. 65. E. 16 links & 12 in? diam? bears S. 13. E. 15 links.

T. N. & S. R. c. 1<sup>st</sup> 3. W- 2<sup>nd</sup> Mer.

Thin soil of hill land - Timber - Oak, Hickory, Sycamore, &amp;c.

- North Between Sec<sup>s</sup> 14 & 15. T. 2. S. R. 3. W.  
 30. 13 A B. Oak 22 in<sup>s</sup> diam.  
 40. 00 Set Quarter Sec. post where a W. Oak 10 in<sup>s</sup> diam. bears N. 12. links. S. 16 in<sup>s</sup> diam. bears S. 20. E. 37. links.  
 60. 81 A Birch 11 in<sup>s</sup> diam.  
 75. 23 A Birch 12 in<sup>s</sup> diam.  
 80. 00 Set Post Corner of Sec<sup>s</sup> 11. 11. 14. 15. T. 2. S. R. 3. W.  
 where a Poplar 5 in<sup>s</sup> diam. bears N. 41. E. 6. links.  
 S. 16 in<sup>s</sup> diam. bears S. 22. W. 54. links.  
 First rate upland - Timber as above.

- North Between Sec<sup>s</sup> 15 & 16. T. 2. S. R. 3. W.  
 25. 50 A W. Oak 18 in<sup>s</sup> diam.  
 35. 75 A W. Oak 14 in<sup>s</sup> diam.  
 40. 00 Set Quarter Sec. post. where a W. Oak 36 in<sup>s</sup> diam.  
 bears S. 43. E. 40. links. A Poplar 17 in<sup>s</sup> diam. N. 16. W. 14 links.  
 47. 00 Top of high hill.  
 61. 69 A Poplar 40 in<sup>s</sup> diam.  
 68. 50 A Brook 20 links wide, course W.  
 80. 00 Set Post Corner of Sec<sup>s</sup> 9. 10. 15. 16. T. 2. S. R. 3. W.  
 where a Sugar tree 17 in<sup>s</sup> diam. bears N. W. W. 29. links. A  
 W. Oak 22 in<sup>s</sup> diam. bears S. 19. E. 22 links. Good hilly  
 middling Soil - Timber - Oak, & Sycamore.

- East A Random line between Sec<sup>s</sup> 10. & 15. T. 2. S. R. 3. W.  
 50. 60 Intersected N. & S. line 10 links N. of Post.  
 Good hill land. - Timber, Oak, & Sycamore.

- East A Random line between Sec<sup>s</sup> 11. & 14. T. 2. S. R. 3. W.  
 50. 41 Intersected N. & S. line 8 links N. of Post - Middling  
 Soil of hill land - Timber - Oak. Hickory & very bushy.

- East A Random line between 12. & 13. T. 2. S. R. 3. W.  
 35. 00 A Brook 40 links wide, course N.



T. 2. S. R. No 3. W. 2<sup>nd</sup>. Mer.

80. 69 Intersected Range line at Post Corner of Sec. 12. & 13. T. 2 S. R. 3. W. Rough hill land. Timber - Oak, Hickory, & Dogwood.

Connected the line Between Sec. 12 & 13. T. 2 S. R. 3. W. Put half Sec. post where a Sugar tree 4 in<sup>d</sup> diam<sup>r</sup> bears N. 43. E. 5. links. & W. Oak 40 in<sup>d</sup> diam<sup>r</sup> bears W. 10. links

Corrected the line between Sec. 11. & 14 T. 2. S. R. 3. W. Put half Sec post where a Dogwood. 8 in<sup>d</sup> diam<sup>r</sup> bears S. 56, E. 10. links. & 6 in<sup>d</sup> diam<sup>r</sup> bears S. 31. E. 20, links.

Corrected the line between Sec. 10. & 15. T. 2 S. R. No 3. W. Put half Sec. post where a Birch 12 in<sup>d</sup> diam<sup>r</sup> bears N. 13. W. 11. links & W. Oak 12 in<sup>d</sup> diam<sup>r</sup> bears S. 11. W. 26. links

North Between Sec. 16. & 19. T. 2 S. R. 2 W.

5. 11 A W. Oak 14 in<sup>d</sup> diam<sup>r</sup>

29. 49 A B. Oak 26 in<sup>d</sup> diam<sup>r</sup>

40. 60 Put Quarter Sec. post where a W. Oak 18 in<sup>d</sup> diam<sup>r</sup> bears S. 53. W. 38 links. & 17 in<sup>d</sup> diam<sup>r</sup> A. 87. E. 16. links

55. 32 A B. Oak 18 in<sup>d</sup> diam<sup>r</sup>

65. 40 A Hickory 12 in<sup>d</sup> diam<sup>r</sup>

80. 60 Set Post Corner of Sec. 8. 9. 16. 17. T. 2 S. R. No 3. W. where a Poplar 30 in<sup>d</sup> diam<sup>r</sup> bears S. 44. E. 16. links & 26 in<sup>d</sup> diam<sup>r</sup> bears N. 56. E. 23. links - Level hill land Good Timber. Oak, Hickory, & Dogwood. - Oct. 31<sup>st</sup> 1864

North Between Sec. 17. & 18. T. 2. S. R. No 3. W.

25. 61 A W. Oak 14 in<sup>d</sup> diam<sup>r</sup>

40. 60 Set Quarter Sec. post where a Dogwood 9 in<sup>d</sup> diam<sup>r</sup> bears S. 28, W. 17. links. & Gum 20 in<sup>d</sup> diam<sup>r</sup> A. 45. E. 25.

49. 83 A Gum 14 in<sup>d</sup> diam<sup>r</sup>

74. 88 A Hickory 18 in<sup>d</sup> diam<sup>r</sup>

80. 60 Set Post Corner of Sec. 7. 8. 17. 18. T. 2 S. R. 3. W. where a W. Oak 30 in<sup>d</sup> diam<sup>r</sup> bears S. 54. W. 39. links

T. N. 2. S. R. N. 3. W. 2<sup>nd</sup>. Mer.

L<sup>o</sup> 14 in? diam<sup>r</sup> bears S. 30. E. 7. links. Level hill land  
Timber - Oak, Hickory. Gum, Sycamore.

- West Between Sec<sup>s</sup> 7. & 18. T. 2. S. R. N. 3. W.  
33. 00 A Drain 10 links wide, Course N. 70. W.  
40. 00 Set Quarter Sec. Post where a W. Oak 12 in? diam<sup>r</sup> bears S.  
30. W. 22. links. A Hickory 12 in? diam<sup>r</sup> bears N. 38. W. 28. links.  
48. 00 A Brook 10 links wide, Course N. 20. E.  
78. 00 Intersected Range line 170 links S. of Post corner of 4<sup>th</sup>  
Range. Put Post corner to Sec<sup>s</sup> 7. & 18. T. 2. S. R. N. 3. W.  
where a B. Oak 40 in? diam<sup>r</sup> bears S. 86. E. 72. links  
L<sup>o</sup> 20. in? diam<sup>r</sup> bears N. 52. W. 54 links. Last half  
mile very rough Brushy Bury. hill land. Oak Timber.

- West Between Sec<sup>s</sup> 9. & 16. T. 2. S. R. N. 3. W.  
28. 00 Poor Stony hill land Oak timber.  
48. 00 North Bend in a Brook running West.  
53. 00 A Creek 45 links wide, Course N. 16. W.  
57. 00 Rich Bottom land.  
80. 26 Fill 6 links N. of Post. Middling Soil of hill land.  
Timber. Oak. Sugar tree. &c.

- West A Random line between Sec<sup>s</sup> 8. & 17. T. 2. S. R. N. 3. W.  
21. 00 A Brook 10 links wide, Course N.  
80. 05 Hit post corner to Sec<sup>s</sup> 7. & 17. 18. T. 2. S. R. N. 3. W.  
Land level - good soil. Timber - Oak & Sycamore.

Corrected the line between 8. & 17. T. 2. S. R. N. 3. W.  
Set half Sec. Post where a Gum 18 in? diam<sup>r</sup> bears  
N. 3. E. 18 links. A Birch 16 in? diam<sup>r</sup> bears S. 3. E. 12 links

Corrected the line between Sec<sup>s</sup> 9. & 16. T. 2. S. R. N. 3. W.  
Set half Sec. post where a Sugar 16 in? diam<sup>r</sup> bears N. 75. E.  
12. links. L<sup>o</sup> 10 in? diam<sup>r</sup> bears S. 65. W. 42 links

North Between Sec<sup>s</sup> 8. & 9. T. 2. S. R. N. 3. West.

T. N<sup>o</sup> 2. G. R. N<sup>o</sup> 3. W. 2<sup>nd</sup> Mer.

3. 55 A B. Walnut 24 in? diam?  
 13. 00 A Creek 50 links wide, course W. Rich hill land.  
 18. 26 An Elm 16 in? diam?  
 22. 00 Rich Bottom land.  
 40. 00 Set Quarter Sec. post where a W. Oak 14 in? diam?  
 bears S. 17. W. 16. links A Sugar 18 in? diam? S. 78. E. 66.  
 69. 61 A W. Oak 16 in? diam?  
 80. 00 Set Post Corner of Secs 4. 5. 8. 9. T. 2. G. R. 3. W.  
 where a Birch 13 in? diam? bears N. 15. W. 18 links.  
 A W. Oak 11 in? diam? bears N. 76. E. 45 links.  
 Good soil of hill land. Timber, Oak, Dogwood &c.

- North Between Secs 7 & 8 T. 2. G. R. 3. W.  
 27. 50 A Birch 16 in? diam?  
 33. 49 A W. Oak 12 in? diam?  
 40. 00 Set Quarter Sec. post where a W. Oak 10 in? diam?  
 bears N. 11. W. 15. links. A Sugar 10 in? diam? S. 13. W.  
 15. 11 A Creek 50 links wide, course N. W. Good hill land,  
 30. 11 Set post Corner of Secs 5. 6. 7. 8. T. 2. G. R. 3. W.  
 where a W. Oak 22 in? diam? bears S. 21. W. 15. links.  
 S. 22 in? diam? bears N. 12. E. 33 links.  
 Bottom land - Timber, Oak, Sugar tree, &c.

- West Between Secs 6. 7. T. 2. G. R. N<sup>o</sup> 3. W.  
 40. 00 Put Quarter Sec. post where a Birch 24 in? diam?  
 bears S. 87. W. 14 links. An Elm 28 in? bears N. 87. E. 39.  
 52. 53 A Creek 50 links wide, course N. W. Birch bottom.  
 66. 00 Said Creek 50 links wide, course S.  
 70. 10 Same Creek 50 links wide, course N.  
 78. 40 Intersected Range line 130 links in the 4<sup>th</sup> Range  
 Set Post Corner to Secs 6. 7. T. 2. G. R. 3. W. where  
 a Sugar tree 16 in? diam? bears N. 83. E. 18. links.  
 A Birch 14 in? diam? bears N. 42 W. 23 links.  
 Hill land, descending N. Timber, Birch, Sugar tree &c.

- North Between Secs 5 & 6. T. 2. G. R. N<sup>o</sup> 3. W.

3. 13 A W Oak 22 in. diam.  
 10. 60 Low Bottom Timber, Birch, Maple, &c.  
 39. 60 A Brook 20 links wide, course W.  
 40. 60 Set Quarter Sec. post where a Sapapara 4 in. diam.  
 bears S 49. W. 16. links. A Poplar 36 in. diam. bears N. 60. E. 40  
 43. 67 A Birch 14 in. diam.  
 60. 77 A Birch 24 in. diam.  
 80. 60 Intersected Town line. Set post corner of Sec. 5 & 6.  
 T. 2. S. R. No 3. W. where a W. Oak 16 in. diam. bears  
 N. 63. E. 16 links. Do 10 in. diam. bears S. 79. W. 54  
 links Midling Soil of hill land. Timber Oak & Birch  
 5<sup>th</sup> post stands 100 links W. of post in T. 1. S. R. 3. W.

- North Between Sec. 4. & 5. T. 2. S. R. No 3. W.  
 40. 60 Set Quarter Sec. post. where a Birch 17 in. diam. bears  
 N. 56. E. 11 links. Do 18 in. diam. bears N. 50. W. 22 links  
 40. 50 A Birch 17 in. diam.  
 44. 60 A Small Drain, course N. W.  
 52. 08 A Birch 14 in. diam.  
 58. 04 A Brook 20. links wide, course W.  
 80. 60 To Town line Set post corner of Sec. 4 & 5. T. 2. S. R. 3. W.  
 where a Sugar tree 14 in. diam. bears N. 71. W. 22 links.  
 Do 16 in. diam. bears S. 41. E. 9 links.  
 Midling Soil of hill land. Timber Oak, Birch, &c.

- East A Random line between Sec. 5. & 8. T. 2. S. R. 3. W.  
 6. 60 Good Bottom land  
 53. 50 A Drain 12 links wide, course S.  
 80. 20 Intersected N. & S. line at Post.  
 Rough hill land Timber Oak, Birch, & Dogwood.

Connected the line between Sec. 5. & 8. T. 2. S. R. 3. W.  
 Put half Sec. post where a W. Oak 16 in. diam. bears N. 4  
 E. 23 links. A W. Oak 12 in. diam. bears S. 71. W. 27 links  
 November 1<sup>st</sup> 1864.



## T. No 2 G. R. No 3. No 2nd Mer

North	Between Sec. 9 & 10. T. 2 G. R. No 3. W.
17. 63	A Sugar tree 18 in? diam?
22. 00	A Drain 8 links wide, course W.
27. 48	A W. Oak 18 in? diam?
40. 00	Get Quarter Sec. post where a Sugar 12 in? diam? bears N. 41. E. 16 links. A Gum 17 in? diam? bears S. 54. W. 37. lbs
65. 32	A Birch 16 in? diam?
67. 50	A Brook 10 links wide, course S. W.
80. 00	Get Post Corner of Sec. 3. 4. 9. 10. T. 2 G. R. No 3. W. where a W. Oak 10 in? diam? bears S. 8. E. 14 links. 12 in? diam? bears S. 8. 4. E. 37 links. Second rate hill land - Timber - Oak - Birch &c.
East	A random line between Sec. 4. & 9. T. 2 G. R. No 3. W.
52. 00	A Brook 10 links wide, course S.
60. 00	Along Steep hill to top.
80. 20	Intersected A. & G. line 6 links N. of Post. Steep hills. Thin soil - Timber - Oak - Herctory - &c.
	Persected the line between Sec. 4 & 9. T. 2 G. R. No 3. W. Get half Sec. post where a Birch 18 in? diam? bears N. 26. E. 15 links. W. Oak 11 in? diam? bears S. 1. E. 43 links
North	Between Sec. 3 & 4. T. 2. G. R. No 3. W.
4. 60	A W. Oak 12 in? diam?
23. 38	A W. Oak 14 in? diam?
40. 00	Get half Sec. post where a Sugar tree 20 in? diam? bears S. 62. W. 30 links. 12 in? diam? bears N. 49. E. 12 lbs.
61. 31	A W. Oak 12 in? diam?
80. 00	Intersected Town line. Get Post Corner of Sec. 3. & 4. T. 2 G. R. No 3. W. where a Gum 6 in? diam? bears N. 42. W. 21 links. A W. Oak 20 in? diam? bears S. 28. E. 33 links. Midling Soil of hill land - Timber - Oak - &c.
North	Between Sec. 10. & 11. T. No 2. G. R. No 3. W.
11. 28	A W. Oak 18 in? diam?

40. 00 Put Quarter Sec. post where a Dogwood 6 in<sup>d</sup> diam<sup>r</sup> bears  
S. 28. W. 37 links. A W. Oak 14 in<sup>d</sup> diam<sup>r</sup> bears N. 10. E. 14 links  
45. 00 A W. Oak 14 in<sup>d</sup> diam<sup>r</sup>  
51. 00 Set Post Corner of Sec<sup>s</sup>. 2. 3. 10. 17. T. 2. S. R. 3. W. where  
a W. Oak 14 in<sup>d</sup> diam<sup>r</sup> bears S. 6. W. 33 links. S. 17 in<sup>d</sup> diam<sup>r</sup>  
bears N. 10. E. 15 links. Soil & Timber as above.

- North Between Sec<sup>s</sup>. 11. & 12. T. N<sup>o</sup> 2. S. R. N<sup>o</sup> 3. W.  
10. 08 A Birch 20 in<sup>d</sup> diam<sup>r</sup>  
31. 74 A W. Oak 12 in<sup>d</sup> diam<sup>r</sup>  
35. 00 A Drain 6 links wide, course S. E.  
40. 00 Set Quarter Sec. post where a W. Oak 18 in<sup>d</sup> diam<sup>r</sup> bears  
N. 74. W. 28 links. D<sup>o</sup> 17 in<sup>d</sup> diam<sup>r</sup> bears N. 72. E. 57 links  
50. 00 Set Post Corner of Sec<sup>s</sup>. 1. 2. 11. & 12. T. 2. S. R. N<sup>o</sup> 3. W.  
where a W. Oak 12 in<sup>d</sup> diam<sup>r</sup> bears S. 64. E. 22 links. A  
Gum 13 in<sup>d</sup> diam<sup>r</sup> bears N. 49. W. 9 links.  
This mile Same as above.

- East A Random line between Sec<sup>s</sup>. 1. & 12. T. 2. S. R. N<sup>o</sup> 3. W.  
58 00 Very rough hill land - Oak Timber.  
64 00 A brook 60 links wide, course N. 30. E.  
80. 20 Interrupted Range line. - Hill land. Birch Timber

Corrected the line between 1. & 12. T. 2. S. R. 3. W.  
Put Quarter Sec. post where a W. Oak 12 in<sup>d</sup> diam<sup>r</sup> bears  
S. 33. E. 26 links S<sup>o</sup> 28 in<sup>d</sup> diam<sup>r</sup> bears S. 59. W. 10 links

- North Between Sec<sup>s</sup>. 1. & 2. T. 2. S. R. 3. W.  
23. 50 A Brook 10 links wide, course E.  
27. 72 A Hickory 10 in<sup>d</sup> diam<sup>r</sup>  
40. 00 Set Quarter Sec. post where a W. Oak 17 in<sup>d</sup> diam<sup>r</sup>  
bears S. 41. E. 37 links. A Gum 12 in<sup>d</sup> diam<sup>r</sup> bears N. 20  
W. 30 links.  
53. 14 A Birch 20 in<sup>d</sup> diam<sup>r</sup>  
80. 00 To Town line Set post Corner of Sec<sup>s</sup>. 1. & 2. T. 2. S. R.  
3. W. where a W. Oak 16 in<sup>d</sup> diam<sup>r</sup> bears East 12 links

T<sup>d</sup> N<sup>o</sup> 2 S. R. N<sup>o</sup> 3. W 2<sup>nd</sup> Mer.

D<sup>o</sup> 16 in<sup>s</sup> diam<sup>r</sup> bears W. 1. link.

Good soil of hill land - Timber, Oak, Birch &c.

East Between Sec<sup>s</sup> 2 & 11. T. 2. S. R. 3. W.

44 11 A Drain 6 links wide, course N.

80. 11 Hit Post - Good soil of hill land - Timber Oak, Sugar tree &c.

Nov. 2<sup>nd</sup> 18. 04.

East A Random line between Sec<sup>s</sup> 3 & 10. T. 2 S. R. 3. W.

12 50 A Run 10 links wide, course S.

49. 50 A Run 6 links wide, course S.

80. 20 Intersected N. & S. line 6 links e. of Post.

Moderate ridges, good soil - Timber - Oak, Hickory, Dogwood.

Connected the line between Sec<sup>s</sup> 3 & 10. T. 2. S. R. 3. W.

Put half Sec post where a W. Oak 36 in<sup>s</sup> diam<sup>r</sup> bears

N. 70. W. 8. links. D<sup>o</sup> 12 in<sup>s</sup> diam<sup>r</sup> bears E. 23. links.

Set half Sec. post between Sec<sup>s</sup> 2 & 11. T. 2. S. R. 3. W.

where a W. Oak 12 in<sup>s</sup> diam<sup>r</sup> bears N. 40. E. 56. links.

D<sup>o</sup> 14 in<sup>s</sup> diam<sup>r</sup> bears e. 81. W. 47. links.

North Between Sec<sup>s</sup> 2 & 3. T. 1. S. R. 3. W.

18. 77 A W. Oak 24 in<sup>s</sup> diam<sup>r</sup>

46. 60 Put Quarter Sec post where a W. Oak 20 in<sup>s</sup> diam<sup>r</sup>

bears T. 12. E. 30. links. e. of B. Oak 14 in<sup>s</sup> diam<sup>r</sup> e. 44. W. 10. links.

80. 60 To Town line - Set Post Corner of Sec<sup>s</sup> 2 & 3. T. 2 S. R.

3. W. where a Jack Oak 16 in<sup>s</sup> diam<sup>r</sup> bears S. 37. W. 29.

links e. of Gum 7 in<sup>s</sup> diam<sup>r</sup> bears e. 59. E. 15. links.

This mile level hill land - Timber - Oak, Poplar & Dogwood.

Set Quarter Sec. post in e. Boundary of Sec. 1. T. 2

S. R. 3. W. where a Sugar 12 in<sup>s</sup> diam<sup>r</sup> bears e. 25. E. 8. links

D<sup>o</sup> 8 in<sup>s</sup> diam<sup>r</sup> bears T. 25. W. 18. links.

Put half Sec. post in e. Boundary of Sec. 2. T. 2. S.

R. 3. W. where a W. Oak 16 in<sup>s</sup> diam<sup>r</sup> bears S. 53.

T. 1<sup>st</sup> 2. S. R. & 1<sup>st</sup> 3. W 2<sup>nd</sup> Mer.

W. 15 links. Do 8 in? diam? bears & 1, 82, E. 23. links

Put half Sec. post in N. Boundary of Sec. 3. T. 2. S. R. 3. W. where a B. Oak 20 in? diam? bears & 1. 12. W. 14 links  
Do 22 in? diam? bears S. 3. 2. E. 21. links.

Set half Sec. post in N. Boundary of Sec 4. T. 2 S. R. 3. W. where a W. Oak 18 in? diam? bears & 1. 56. W. 13  
12 links. A Birch 12 in? diam? bears S. 75. E. 31. links

Set half Sec. post in N. Boundary of Sec 5. T. 2 S. R. 3. W. where a Birch 12 in? diam? bears S. 63. E. 26. links. A  
Birch 18 in? diam? bears North 28. links.

Set half Sec. post in N. Boundary of Sec. 6. T. 2 S. R. 3  
W. where a Birch 16 in? diam? bears & 1. 41. W. 17  
links. A Sugar tree 17 in? diam? bears S. 41. E. 24 links

Surveyed by Levi Barker

Nov. 3<sup>rd</sup> 1864

I certify that the foregoing transcript of the field  
notes of Township N<sup>o</sup> 2 South Range & N<sup>o</sup> 3 West  
2<sup>nd</sup> Mer., Indiana, has been compared with the  
Original Notes in this Office, and found to be correct.  
Surveyor General's Office,  
Cincinnati, Sept. 4. 1889

E. S. Leaine  
Genl